


## HELL ON WHEELS

**Hell on Wheels** is our newest low pH wheel cleaner that utilizes our special blend of road film breaking surfactants. **Hell on Wheels** is an excellent spray on acid based wheel cleaner. This HF product removes brake dust stains, rust and clay soil film from even the hard to get at inner wheel structure.



- New road-film breaking technology
- Effective against difficult wheel cleaning problems
- Removes baked on brake dust and rust

## **APPLICATION**

## **Product Use**

**Recommended Ratio** 

Wheel Washer or CTA

1:10 to 1:25

Please note that dilution ratios may need to be adjusted based upon cleaning conditions

NOTE: See reverse side for MSDS information and General Cautions for Use

Visit our website at <u>www.vtlvehiclecare.com</u>

## MATERIAL SAFETY DATA SHEET

(COMPLIES WITH 29CFR 1910.1200)

SECTION I - CHEMICAL PRODUCT & COMPANY IDENTIFICATION	SECTION IX - PHYSICAL/CHEMICAL CHARACTERISTICS
Identity (As Used on Label and List): Hell on Wheels (EXT139) Product Class: Low pH Car Wash Presoak Emergency Telephone Number: 800-535-5053 (INFO TRAC) Telephone Number for Information: 763-509-7937 Manufacturer's Name and Address: Ver-techLabs	Boiling Point:   Approximately 212°F   pH: 1 - 2     Specific Gravity (H20) = 1: 1 - 1.1   % Volatile:     Vapor Density (Air = 1):   N. Av.   Odor Threshold:   N. Av.     Evaporation Rate (Butyl Acetate = 1):   N. Av.   Oil/Water Distribution     Solubility in Water:   Complete   Coefficient:   N. Av.     Vapor Pressure (MM HG):   N. Av.   Melting Point:   N. Ap.
6801 Bleck Drive	SECTION X - STABILITY AND REACTIVITY
Rockford, MN 55373     SECTION II - COMPOSITION/INFORMATION ON INGREDIENTS     Hazardous Components (Specific Chemical Identity):     Chemical   Common Name(s)     A   Hydrofluoric acid (HF)     CAS #7664-39-3   B     Sulfuric acid   CAS #7664-93-9	Stability:   Unstable:   Stable:   X     Conditions to Avoid:   Mix only with water   Incompatibility (materials to avoid):   Metals, Alkaline materials     Hazardous Decomposition or By-products:   N. Av.   Hazardous Polymerization:   May occur:   Will not occur:   X     Conditions to Avoid:   N. Ap.   May occur:   Will not occur:   X     SECTION XI - TOXICOLOGICAL INFORMATION   Chemical   OSHA PEL   ACGIH TLV   Recom.   LD50   LC50
	A 3 ppm 3 ppm N. AvN. AV. N. AV. B 1 mg/m3 1 mg/m3 N. Av. 2,140 mg/kg 30 mg/m3
SECTION III - HAZARDS IDENTIFICATION	(rat, oral) (rat, 8 hr.)
Emergency Overview Appearance and Odor: Amber liquid, Mild aroma. Primary Hazards: Corrosive Toxic Potential Health Hazards	Teratogen, Mutagen, Reproductive Toxin Status: No Toxicologically Synergistic Products: N. Av. SECTION XII - ECOLOGICAL INFORMATION
Route(s) of Entry: Skin Absorption: X Ingestion: X Inhalation: X	Ecotoxicological Information: N. Av. Chemical Fate Information: N. Av.
Eye: Causes severe chemical burns if contact occurs. Skin: Causes severe chemical burns if contact occurs.	SECTION XIII - DISPOSAL CONSIDERATIONS
Ingestion: Harmful or fatal if swallowed. Inhalation: Overexposure to vapors harmful. Signs and Symptoms of Exposure: Irritation and/or burning sensation on contact can be delayed up to 24 hours.	Waste Disposal Method:       Dispose of spilled material in accordance with local, state, and federal regulations.       RCRA Hazard Class:     D002 Corrosive
Carcinogenicity:   NTP?   No   IARC Monographs?   No     OSHA Regulated?   No   No   Target Organ (s):   No     Medical Conditions Generally Aggravated by Exposure:   N. Av.   Health Hazards, Chronic:   Fluoride poisoning.	SECTION XIV - TRANSPORT INFORMATION Shipping Classification: Corrosive liquid, toxic, n.o.s., (Hydrofluoric acid Sulfic acid ), Classification: 8, 6.1 UN Number: 2922 Packing Group: II
SECTION IV - FIRST AID MEASURES	SECTION XV - PREPARATION DATA
Emergency and First Aid Procedures: Treat for Fluoride Poisoning. If Swallowed: Do not induce vomiting. Rinse mouth and drink water in large amounts and call a physician immediately. Never give anything by mouth to an unconscious person. Eye Contact: Flush eyes with running water for at least 15 minutes. Obtain immediate medical attention. Skin Contact: Flush thoroughly with cool water. Remove contaminated clothing and apply calcium gluconate gel. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Sources Used: Raw material data, general toxicology from the trade for similar products.	CERCLA Reportable Quality: N. Av.
SECTION V - FIRE FIGHTING MEASURES	Section 311/312 Hazard Category: Immediate health hazard Section 313 Toxic Chemicals: Hydrogen Fluoride
Flammability: N. Av. Autoignition Temperature: N. Av.	SECTION XVII - OTHER INFORMATION
Flash Point (method used):   N. Av.     Flammable Limits:   N. Av.     LEL   UEL     Extinguishing Media:   Water?     Water?   Foam?	N. Ap Not Applicable; N.Av Not Available
Water? Foam? Water Fog? X   Alcohol Foam? X CO2? X Dry Chemical? X   Vaporizing Liquid? X Other? X X	NFPA SYSTEM <u>3</u> A. Health Hazard <u>0</u> A. Fire Hazard <u>0</u> A. Reactivity Hazard
Special Fire Fighting Procedures: High heat will release acidic vapors. Unusual Fire and Explosion Hazards: N. Av. TDG Flammability Classification: N. Av Sensitivity to Mechanical Impact: None Sensitivity to Static Discharge: N. Ap.	THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE, HOWEVER NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THERE OF. MINUTEMAN INTERNATIONAL, INC. ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL
SECTION VI - ACCIDENTAL RELEASE MEASURES Steps to be taken in Case Material is Released or Spilled: Dike and contain spill with inert material (sand, earth, etc). Collect spill with mop, absorbent material (example: floor-dri) or vacuum. Thoroughly rinse affected area with water.	
SECTION VII - HANDLING AND STORAGE	
Precautions to be taken in Handling and Storing: Normal care in handling and storage. Do not store near heat or open flame. Other Precautions: Keep out of reach of children. Do not breathe spray mist.	
SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION     Respiratory Protection (Specify Types): Required if above PEL (HF).     Ventilation:   Local Exhaust: Required Special: Required     Mechanical (General):   Provide ventilation adequate to disperse cleaner vapors and or mists.     Other:   Not required     Protective Gloves:   Synthetic.	
Eye Protection: Approved safety goggles or glasses. Footwear: Chemical	
resistant Other Protective Clothing or Equipment: Chemical resistant Full Coverage Work/Hygienic Practices: Do not contaminate food or beverages with chemicals.	