

SAFETY DATA SHEET

SECTION I: PRODUCT AND COMPANY IDENTIFICATION

| Manufacturer: | Ver-tech Labs | Product Name: | MPC Black | |
|---------------|--------------------|-------------------------|----------------------|--|
| Manufacturer. | | | | |
| | 6801 Bleck Drive | Product Code: | EXT330 | |
| | Rockford, MN 55373 | Recommended Use: | Heavy duty degreaser | |
| | I-877-866-9742 | Revision Date: | 11/24/2015 | |
| | | | | |

Chemical Emergency: Infotrac: 1-800-535-5053

SECTION 2: HAZARDS IDENTIFICATION

| GHS Hazard Classification | |
|---------------------------|------------|
| Skin Corrosion | Category I |
| Eye Damage | Category I |

Signal Word

DANGER!



Hazard Statements

Causes severe skin burns and eye damage Causes serious eye damage

Precautionary Statements - Prevention

Do not breathe mists or vapors Wash thoroughly after handling

Wear protective gloves and eye protection

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Remove all contaminated clothing immediately. Rinse skin with water.

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing

Get Medical advice/attention if you feel unwell

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

SECTION 3: INFORMATION ON HAZARDOUS INGREDIENTS

Product is a mixture according to 29 CFR 1910.1200.

Hazardous Components

| Hazardous Ingredients | Cas # | Weight % |
|-----------------------|--------------|----------|
| Disodium metasilicate | 6834-92-0 | 0 - 10% |
| 2-butoxyethanol | 111-76-2 | 0 - 10% |
| Proprietary Blend | Trade Secret | 0 - 10% |

Specific chemical identity and/or exact percentage of components has been withheld in accordance with a trade secret claim according to Appendix E 29 CFR 1910.1200.

SECTION 4: FIRST-AID MEASURES

| First Aid Measures | |
|--------------------|---|
| General Advice: | Harmful if swallowed. Causes skin corrosion and serious eye damage. |
| Eye Contact: | Immediately flush with cool running water for at least 15 minutes while holding eyelids apart. Do not rub affected area. Remove contact lenses if applicable. |
| Skin Contact: | Wash off immediately with soap and water while removing all contaminated clothes and shoes. |
| Ingestion: | If swallowed, may cause burning of the mouth, throat and stomach. Call immediately for medical assistance. DO NOT induce |
| | vomiting. Rinse mouth with water, then drink 1-2 glasses of water. Never give anything by mouth to an unconscious person. |

Inhalation: Remove to fresh air.

Most Important Symptoms and Effects

Symptoms: Irritation to eyes and skin. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Indication of any immediate medical attention and special treatment needed

Note to Physician: Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

| Flammable Properties | | |
|------------------------|--|--|
| Flammability: | Not considered to be a fire hazard. | |
| Explosive Prop: | Not considered to be an explosive hazard. | |
| Extinguishing Media | | |
| Suitable: | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. | |
| Unsuitable: | Do not use water jet as an extinguisher, as this will spread the fire. | |
| Specific Hazards Arisi | ng from Chemical | |
| Hazards: | During fire, gases hazardous to health may be formed. | |
| Protective equipment | and precautions for fire-fighters | |
| Fire-Fight Method: | In the event of a fire, fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) | |
| | with a full face-piece operated in positive pressure mode. | |

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Evacuate personnel to safe areas. Isolate hazard area and deny entry. Stay upwind of spill/leak. Use personal protective equipment. Avoid contact with skin, eyes or clothing.

Environ. Precautions:Prevent release to the environment if possible. Dike large spills to prevent material from entering streams or sewer systems.Clean-Up Method:Soak-up with inert absorbent material and place into appropriate container for disposal. Clean contaminated area thoroughly
with water. Prevent product from entering drains.

SECTION 7: HANDLING AND STORAGE

 Handling:
 Use personal protective equipment when needed. Avoid contact with skin, eyes, and clothing. Wash hands before eating, drinking, or smoking. Remove contaminated clothes and wash before reuse. Use in a ventilated area.

 Storage:
 Store in closed containers in cool, dry, well-ventilated area. Avoid overheating or freezing. Keep in properly labeled containers and out of reach of children.

Incomp. Materials: Oxidizing agents. Strong acids. Prolonged contact with alkali sensitive metals and alloys.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines

| Hazardous Chemical | OSHA PEL | ACGIH TLV |
|-----------------------|--------------------------|--------------------------|
| Disodium metasilicate | 3 mg/m3 | No information available |
| 2-butoxyethanol | 50 ppm | 20 ррт |
| Proprietary Blend | No information available | No information available |

Appropriate Engineering Controls

Eng. Controls: Ensure adequate ventilation, especially in confined areas.

Personal Protection Equipment (PPE)

| Eyes: | Recommend safety goggles or shield. |
|---------------------|---|
| Respiratory: | Not usually necessary where ventilation is sufficient to maintain vapors under the TLV limit. |
| Skin: | Avoid skin contact. Recommend chemical resistant gloves. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State: Liquid

Not determined

| Appearance: | Purple Liquid | Boiling Point: | Not determined |
|-------------------|--------------------------|--------------------------|----------------|
| Color: | Purple | Evaporation Rate: | Not determined |
| Odor: | Mild | Vapor Pressure: | Not determined |
| Odor Threshold: | No information available | Vapor Density: | Not determined |
| pH: | 13.0 | Relative Density: | Not determined |
| Flash Point: | Not determined | Flammability: | Not determined |
| Water Solubility: | Soluble in water | Explosive Limits: | Not determined |
| Viscosity: | Not determined | Part. Coefficient: | Not determined |
| Specific Gravity: | 1.07 | Auto-ignition Temp: | Not determined |
| Melting Point: | Not determined | Decomp. Temp: | Not determined |

SECTION 10: STABILITY AND REACTIVITY

Stability:Stable under ordinary conditions of use and storage.Haz. Decomposition:Thermal decomposition can lead to release of irritating and toxic gases and vapors.Haz. Polymerization:No information available.Incompatibilities:Oxidizing agents. Strong acids. Prolonged contact with alkali sensitive metals and alloys.Conditions to Avoid:Heat, moisture and incompatibles.

SECTION II: TOXICOLOGY INFORMATION

Component InformationHazardous ChemicalLD50 OralLD50 DermalDisodium metasilicate600 mg/kg (rat)No information available2-butoxyethanolI 300 mg/kg (rat)> 2000 mg/kg (rat)Proprietary BlendNo information availableNo information available

Potential Health Effects

| Exposure Routes: | Eye Contact, Dermal Contact, Ingestion, Inhalation | |
|------------------|---|--|
| Acute Toxicity: | | |
| Eyes: | Causes eye irritation with tearing, redness, and impaired vision. | |
| Skin: | Causes skin irritation, redness, and itching. | |
| Ingestion: | Harmful if swallowed. | |
| Inhalation: | Respiratory irritant. | |
| Chronic Effects: | Avoid repeated exposure. May aggravate pre-existing medical conditions including eye, skin and respiratory disorders. | |
| Carcinogenicity: | Not classifiable as a human carcinogen by OSHA, NTP or IARC. | |

SECTION 12: ECOLOGICAL INFORMATION

| Ecotoxicity | | |
|-----------------------|--------------------------------------|-------------------------------|
| Hazardous Chemical | Toxicity to Fish | Toxicity to Invertebrates |
| Disodium metasilicate | No information available | No information available |
| 2-butoxyethanol | 1474 mg/l (96h: Oncorhynchus mykiss) | l 500 mg/l (48 h: water flea) |
| Proprietary Blend | No information available | No information available |

Environmental Toxicity

| Biodegradation: | No information available. |
|-------------------------|---------------------------|
| Persistence: | No information available. |
| Bioaccumulation: | No information available. |
| Mobility: | No information available. |

SECTION 13: DISPOSAL CONSIDERATIONS Waste Disposal: Recover or recycle if possible. Disposal should be in compliance with applicable federal, state, and local regulations. Do not dispose of in the environment, in sewage, and/or in drains.

Container: Drain contaminated container thoroughly. Do not reuse container.

SECTION 14: TRANSPORT INFORMATION

Transport in accordance with all federal, state, and local regulations.

<u>DOT</u>

| Proper Name: | NA |
|---------------------|------------------------------------|
| Hazard Class: | NA |
| UN Number: | NA |
| Packing Group: | NA |
| Special Provisions: | Not regulated as a dangerous good. |

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

TSCA Status: All components of this product are listed or exempt from listing on TSCA inventory.

CERCLA Reportable Quantity: None

U.S. State Right-to-Know Regulations

| Hazardous Chemical | California Proposition 65 |
|--------------------|---------------------------|
| None | |

Section 311/312 Hazard Category

| Acute Health Hazard: | 111-76-2 | 2-butoxyethanol | 0 - 10% |
|-----------------------------|----------|-----------------|---------|
| Chronic Health Hazard: | No | | |
| Fire Hazard: | -76-2 | 2-butoxyethanol | 0 - 10% |
| Sudden Release of Pressure: | No | | |
| Reactive Hazard: | No | | |
| Section 313 Toxic Chemicals | -76-2 | 2-butoxyethanol | 0 - 10% |

SECTION 16: OTHER INFORMATION

| Prepared by: | Health and Safety Department |
|-----------------------|---|
| Issue Date: | 5/18/2015 |
| Revision Date: | 11/24/2015 |
| Revision Note: | MSDS converted to GHS SDS format |
| Version: | ll |
| Disclaimer: | The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. This information is |
| | offered for your information, consideration, and investigation. Ver-tech Labs cannot anticipate all conditions under which this |
| | information and its product may be used. Final determination of suitability of any material is the sole responsibility of the user. |
| | All materials may present unknown hazards and should be used with caution. It is the user's responsibility to assume liability for |
| | loss, injury, damage or expense due to improper use. |

End of Safety Data Sheet