

SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

 Manufacturer:
 Ver-tech Labs
 Product Name:
 Royal Presoak

6801 Bleck Drive Product Code: EXT117

Rockford, MN 55373 Recommended Use: Low pH Detergent

1-877-866-9742 **Revision Date:** 4/30/2015

Chemical Emergency: Infotrac: 1-800-535-5053

SECTION 2: HAZARDS IDENTIFICATION

GHS Hazard Classification

Acute Toxicity - Inhalation	Category 2
Skin Corrosion	Category I
Serious Eye Damage	Category I
Carcinogenicity	Category I
Specific Target Organ Toxicity (Single Exposure)	Category I
Specific Target Organ Toxicity (Repeated or Prolonged Exposure)	Category I
Corrosive to Metals	Category I

Signal Word

DANGER!







Hazard Statements

Fatal if inhaled

Causes severe skin burns and eye damage

Causes serious eye damage

May cause cancer

Causes damage to organs

Causes damage to organs through prolonged or repeated exposure

May be corrosive to metals

Precautionary Statements - Prevention

Do not get in eyes, on skin, or on clothing

Wash thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

In case of inadequate ventilation wear respiratory protection

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove all contaminated clothing immediately. Rinse skin with water/shower

Wash contaminated clothing before reuse.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in a well ventilated place. Keep container tightly closed

Store in a corrosive resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

SECTION 3: INFORMATION ON HAZARDOUS INGREDIENTS

Product is a mixture according to 29 CFR 1910.1200.

Hazardous Components

Hazardous Ingredients	Cas #	Weight %
Sulfuric Acid	7664-93-9	25 - 30%
Citric Acid	77-92-9	5 - 10%
2-butoxyethanol	111-76-2	5 - 10%
Proprietary Blend	Trade Secret	10 - 20%

Specific chemical identity and/or exact percentage of components has been withheld in accordance with a trade secret claim according to Appendix E 29 CFR 1910.1200.

SECTION 4: FIRST-AID MEASURES

First Aid Measures

General Advice: Immediate attention is required. Contains Strong Acid. Harmful or fatal if swallowed. Causes severe burns to eyes, skin, and

respiratory tract. Wear protective clothing when handling this product. Keep out of reach of children. Use with care.

Eye Contact: Immediate medical attention is required. Immediately flush with cool running water for at least 15 minutes while holding eyelids

apart. Seek medical attention immediately. Do not rub affected area. Remove contact lenses if applicable.

Skin Contact: Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a

physician or poison control center immediately.

Inhalation: Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen.

Most Important Symptoms and Effects

Symptoms: Severe burns to eyes, skin, and respiratory tract.

Indication of any immediate medical attention and special treatment needed

Note to Physician: Treat symptomatically as described above.

SECTION 5: FIRE-FIGHTING MEASURES

Flammable Properties

Flammability: Not considered to be a fire hazard.

Explosive Prop: Contact with metals may evolve flammable hydrogen gas; risk of explosion if acid combined with water, organic materials or

base solutions in enclosed spaces. Mixing acids of different strengths/concentrations can also pose an explosive risk in an

enclosed space/container.

Extinguishing Media

Suitable: Use dry chemical, CO2, water spray (fog) or foam.

Unsuitable: DO NOT USE WATER

Specific Hazards Arising from Chemical

Hazards: The product causes burns of eyes, skin and mucous membranes. Thermal decomposition may lead to release of irritating and

toxic vapors. In the event of fire and/or explosion do not breathe fumes.

Protective equipment and precautions for fire-fighters

Fire-Fight Method: In the event of a fire, fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

with a full face-piece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Evacuate personnel to safe areas. Isolate hazard area and deny entry. Stay upwind of spill/leak. Use personal protective

equipment. Avoid contact with skin, eyes or clothing.

Environ. Precautions: Prevent release to the environment if possible. Dike large spills to prevent material from entering streams or sewer systems.

Clean-Up Method: Soak-up with inert absorbent material and place into appropriate container for disposal. Clean contaminated area thoroughly

with water. Prevent product from entering drains.

SECTION 7: HANDLING AND STORAGE

Handling: Wear personal protective equipment. Avoid contact with skin, eyes, and clothing. Wash hands before eating, drinking, or

smoking. Remove contaminated clothes and wash before reuse. Use in a ventilated area.

Storage: Store in closed containers in cool, dry, well-ventilated area. Avoid overheating or freezing. Keep in properly labeled containers

and out of reach of children.

Incomp. Materials: Strong acids and bases; oxidizing agents, water, lithium, organic materials, halogens, metals, strong reducing agents.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines

Hazardous Chemical	OSHA PEL	ACGIH TLV
Sulfuric Acid	I mg/m3	0.2 mg/m3
Citric Acid	Not Determined	Not Determined
2-butoxyethanol	50 ppm	20 ppm
Proprietary Blend	Not Determined	Not Determined

Appropriate Engineering Controls

Eng. Controls: Ensure adequate ventilation, especially in confined areas.

Personal Protection Equipment (PPE)

Eyes: Recommend goggles or face shield, giving complete protection of eyes.

Respiratory: In case of insufficient ventilation wear suitable respiratory equipment. Use NIOSH approved respiratory protection.

Skin: Avoid skin contact. Recommend chemical resistant gloves and complete suit protecting against chemicals.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State:	Liquid	Freezing Point:	Not determined
Appearance:	Amber liquid	Boiling Point:	Not determined
Color:	Colorless to amber	Evaporation Rate:	Not determined
Odor:	Extremely acrid	Vapor Pressure:	Not determined
Odor Threshold:	No information available	Vapor Density:	Not determined
pH:	0 - 1.0	Relative Density:	Not determined
Flash Point:	Not determined	Flammability:	Not determined
Water Solubility:	Soluble in water	Explosive Limits:	Not determined
Viscosity:	Not determined	Part. Coefficient:	Not determined
Specific Gravity:	1.24	Auto-ignition Temp:	Not determined
Melting Point:	Not determined	Decomp. Temp:	Not determined

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage. Releases heat and toxic, irritating vapors when mixed with water.

Haz. Decomposition: Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Haz. Polymerization: No information available.

Incompatibilities: Strong acids and bases; oxidizing agents, water, lithium, organic materials, halogens, metals, strong reducing agents.

Conditions to Avoid: Heat, moisture and incompatibles.

SECTION 11: TOXICOLOGY INFORMATION

Component Information

Hazardous Chemical	LD50 Oral	LD50 Dermal
Sulfuric Acid	2140 mg/kg (rat)	Not Determined
Citric Acid	5400 mg/kg (rat)	Not Determined
2-butoxyethanol	1,300 mg/kg (rat)	> 2,000 mg/kg (rat)
Proprietary Blend	Not Determined	Not Determined

Potential Health Effects

Exposure Routes: Eye Contact, Dermal Contact, Ingestion, Inhalation

Acute Toxicity:

Eyes: Causes serious eye damage with tearing, redness, and impaired vision.

Skin: Causes severe skin burns. Symptoms may include pain, redness of skin and possible tissue destruction.

Ingestion: Harmful if swallowed. Corrosive to mucous membranes, esophagus and stomach.

Inhalation: Respiratory irritant.

Chronic Effects: Avoid repeated exposure. May aggravate pre-existing medical conditions including eye, skin and respiratory disorders.

Carcinogenicity: Sulfuric acid - IARC (International Agency for Research on Cancer) Group 1: Carcinogenic to humans

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Hazardous Chemical	Toxicity to Fish	Toxicity to Invertebrates
Sulfuric Acid	500 mg/l (96 h: Brachydanio rerio)	29 mg/l (24 h: Daphnia)
Citric Acid	440 mg/l (fish)	1534 mg/l (Daphnia)
2-butoxyethanol	1,474 mg/l (96 h: Oncorhynchus mykiss)	I,550 mg/I (48 h: water flea)
Proprietary Blend	Not Determined	Not Determined

Environmental Toxicity

Biodegradation: No information available.

Persistence: No information available.

Bioaccumulation: No information available.

Mobility: No information available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Recover or recycle if possible. Disposal should be in compliance with applicable federal, state, and local regulations. Do not

dispose of in the environment, in sewage, and/or in drains.

Container: Drain contaminated container thoroughly. Do not reuse container.

SECTION 14: TRANSPORT INFORMATION

Transport in accordance with all federal, state, and local regulations.

DOT

Proper Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (Sulfuric Acid)

Hazard Class: 8
UN Number: UN3264

Packing Group:

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

TSCA Status: All components of this product are listed or exempt from listing on TSCA inventory.

CERCLA Reportable Quantity: Sulfuric acid: 1000 lbs.

Section 311/312 Hazard Category

Acute Health Hazard:	7664-93-9	Sulfuric Acid	25 - 30%
	111-76-2	2-butoxyethanol	5 - 10%

Chronic Health Hazard:	7664-93-9	Sulfuric Acid	25 - 30%
Fire Hazard:	111-76-2	2-butoxyethanol	5 - 10%
Sudden Release of Pressure:	No		
Reactive Hazard:	7664-93-9	Sulfuric Acid	25 - 30%
Section 313 Toxic Chemicals	7664-93-9	Sulfuric Acid	25 - 30%
	111-76-2	2-butoxyethanol	5 - 10%

SECTION 16: OTHER INFORMATION

Prepared by: Health and Safety Department

Contact Number: 1-877-866-9742 Issue Date: 4/30/2015 Revision Date: 4/30/2015

Revision Note: MSDS converted to GHS SDS format

Version:

Disclaimer: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. This information is

offered for your information, consideration, and investigation. Ver-tech Labs cannot anticipate all conditions under which this information and its product may be used. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. It is the user's responsibility to assume liability for

loss, injury, damage or expense due to improper use.

End of Safety Data Sheet