



## SAFETY DATA SHEET

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

<b>Manufacturer:</b>	Ver-tech Labs 6801 Bleck Drive Rockford, MN 55373 1-877-866-9742	<b>Product Name:</b>	Blue Thunder
		<b>Product Code:</b>	EXT315
		<b>Recommended Use:</b>	Multi Purpose Detergent
		<b>Revision Date:</b>	10/26/2015

**Chemical Emergency:** Infotrac: 1-800-535-5053

### SECTION 2: HAZARDS IDENTIFICATION

#### GHS Hazard Classification

Skin Corrosion	Category 1
Serious Eye Damage	Category 1
Skin Sensitization	Category 1
Carcinogenicity	Category 1
Specific Target Organ Toxicity (Repeated Exposure)	Category 2
Corrosive to Metals	Category 1

#### Signal Word

**DANGER!**



#### Hazard Statements

Causes severe skin burns and eye damage  
 Causes serious eye damage  
 May cause an allergic skin reaction  
 Suspected of causing cancer  
 May cause damage to organs through repeated exposure  
 May be corrosive to metals

#### Precautionary Statements - Prevention

Do not breathe mists and vapors  
 Wash thoroughly after handling  
 Wear protective gloves and eye protection  
 Contaminated work clothing must not be allowed out of the workplace  
 Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Keep only in original container

#### Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
 IF ON SKIN (or hair): Remove all contaminated clothing immediately. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing  
 Call a POISON CENTER or doctor/physician if you feel unwell  
 If skin irritation or a rash occurs: Get medical advice/attention  
 If exposed or concerned: Get medical advice/attention  
 Absorb spillage to prevent material damage

#### Precautionary Statements - Storage

Store locked up  
 Store in a corrosive resistant container with a resistant inner liner

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### SECTION 3: INFORMATION ON HAZARDOUS INGREDIENTS

**Product is a mixture according to 29 CFR 1910.1200.**

#### Hazardous Components

Hazardous Ingredients	Cas #	Weight %
Potassium Hydroxide	1310-58-3	1 - 5%
Sodium Silicate	1344-09-8	1 - 5%

Benzenesulfonic acid, C10-16-alkyl derivatives	68584-22-5	I - 5%
Cocoamide DEA	68603-42-9	I - 5%
Proprietary Blend	Trade Secret	I - 10%

**Specific chemical identity and/or exact percentage of components has been withheld in accordance with a trade secret claim according to Appendix E 29 CFR 1910.1200.**

#### **SECTION 4: FIRST-AID MEASURES**

##### **First Aid Measures**

- General Advice:** Harmful if swallowed. Causes severe skins burns and eye damage. If exposed or concerned, get medical advice/attention.
- Eye Contact:** Immediately flush with cool running water for at least 15 minutes while holding eyelids apart. Do not rub affected area. Remove contact lenses if applicable.
- Skin Contact:** Wash off immediately with soap and water while removing all contaminated clothes and shoes.
- Ingestion:** If swallowed, may cause burning of the mouth, throat and stomach. Call immediately for medical assistance. DO NOT induce vomiting. Rinse mouth with water, then drink 1-2 glasses of water. Never give anything by mouth to an unconscious person.
- Inhalation:** Remove to fresh air.

##### **Most Important Symptoms and Effects**

- Symptoms:** Severe burns to eyes and skin. Symptoms may include stinging, tearing, redness, swelling and blurred vision. May cause an allergic skin reaction. May cause redness and pain. Prolonged exposure may cause chronic effects.

##### **Indication of any immediate medical attention and special treatment needed**

- Note to Physician:** Treat symptomatically.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

##### **Flammable Properties**

- Flammability:** Not considered to be a fire hazard.
- Explosive Prop:** Not considered to be an explosive hazard.

##### **Extinguishing Media**

- Suitable:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable:** Do not use water jet as an extinguisher, as this will spread the fire.

##### **Specific Hazards Arising from Chemical**

- Hazards:** During fire, gases hazardous to health may be formed.

##### **Protective equipment and precautions for fire-fighters**

- Fire-Fight Method:** In the event of a fire, fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

- Personal Precautions:** Evacuate personnel to safe areas. Isolate hazard area and deny entry. Stay upwind of spill/leak. Use personal protective equipment. Avoid contact with skin, eyes or clothing.
- Environ. Precautions:** Prevent release to the environment if possible. Dike large spills to prevent material from entering streams or sewer systems.
- Clean-Up Method:** Soak-up with inert absorbent material and place into appropriate container for disposal. Clean contaminated area thoroughly with water. Prevent product from entering drains.

#### **SECTION 7: HANDLING AND STORAGE**

- Handling:** Use personal protective equipment when needed. Avoid contact with skin, eyes, and clothing. Wash hands before eating, drinking, or smoking. Remove contaminated clothes and wash before reuse. Use in a ventilated area.
- Storage:** Store in closed containers in cool, dry, well-ventilated area. Avoid overheating or freezing. Keep in properly labeled containers and out of reach of children.

**Incomp. Materials:** Oxidizing agents. Strong acids. Aluminum, Zinc, Tin

## SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Exposure Guidelines

Hazardous Chemical	OSHA PEL	ACGIH TLV
Potassium Hydroxide	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>
Sodium Silicate	No information available	No information available
Benzenesulfonic acid, C10-16-alkyl derivatives	No information available	No information available
Cocoamide DEA	No information available	No information available
Proprietary Blend	No information available	No information available

### Appropriate Engineering Controls

**Eng. Controls:** Ensure adequate ventilation, especially in confined areas.

### Personal Protection Equipment (PPE)

**Eyes:** Recommend safety goggles or shield.

**Respiratory:** Not usually necessary where ventilation is sufficient to maintain vapors under the TLV limit.

**Skin:** Avoid skin contact. Recommend chemical resistant gloves.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State:</b>	Liquid	<b>Freezing Point:</b>	Not determined
<b>Appearance:</b>	Dark Liquid	<b>Boiling Point:</b>	Not determined
<b>Color:</b>	Blue/Purple	<b>Evaporation Rate:</b>	Not determined
<b>Odor:</b>	Cherry	<b>Vapor Pressure:</b>	Not determined
<b>Odor Threshold:</b>	No information available	<b>Vapor Density:</b>	Not determined
<b>pH:</b>	12 - 14	<b>Relative Density:</b>	Not determined
<b>Flash Point:</b>	Not determined	<b>Flammability:</b>	Not determined
<b>Water Solubility:</b>	Soluble in water	<b>Explosive Limits:</b>	Not determined
<b>Viscosity:</b>	Not determined	<b>Part. Coefficient:</b>	Not determined
<b>Specific Gravity:</b>	1.08	<b>Auto-ignition Temp:</b>	Not determined
<b>Melting Point:</b>	Not determined	<b>Decomp. Temp:</b>	Not determined

## SECTION 10: STABILITY AND REACTIVITY

**Stability:** Stable under ordinary conditions of use and storage.

**Haz. Decomposition:** Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Haz. Polymerization:** No information available.

**Incompatibilities:** Oxidizing agents. Strong acids. Aluminum, Zinc, Tin

**Conditions to Avoid:** Heat, moisture and incompatibles.

## SECTION 11: TOXICOLOGY INFORMATION

### Component Information

Hazardous Chemical	LD50 Oral	LD50 Dermal
Potassium Hydroxide	214 mg/kg (rat)	No information available
Sodium Silicate	1153 mg/kg (rat)	4640 mg/kg (rabbit)
Benzenesulfonic acid, C10-16-alkyl derivatives	No information available	No information available
Cocoamide DEA	3370.7 mg/kg (rat)	148.7 mg/kg (rabbit)
Proprietary Blend	No information available	No information available

### Potential Health Effects

**Exposure Routes:** Eye Contact, Dermal Contact, Ingestion, Inhalation

**Acute Toxicity:**

- Eyes:** Causes eye irritation with tearing, redness, and impaired vision.
- Skin:** Causes skin irritation, redness, and itching. May cause chemical burns.
- Ingestion:** Harmful if swallowed. Corrosive to mucous membranes, esophagus and stomach.
- Inhalation:** Respiratory irritant.
- Chronic Effects:** May cause damage to organs through prolonged or repeated exposure.
- Carcinogenicity:** Listed as a possible carcinogen by IARC. Cocoamide DEA (Group 2B).

**SECTION 12: ECOLOGICAL INFORMATION****Ecotoxicity**

Hazardous Chemical	Toxicity to Fish	Toxicity to Invertebrates
Potassium Hydroxide	No information available	No information available
Sodium Silicate	No information available	No information available
Benzenesulfonic acid, C10-16-alkyl derivatives	4105.6 mg/L (96 h: fish)	4.8 mg/L (48 h: Daphnia)
Cocoamide DEA	16345.3 mg/L (96 h: fish)	772.5 mg/L (48 h: Daphnia)
Proprietary Blend	No information available	No information available

**Environmental Toxicity**

- Biodegradation:** No information available.
- Persistence:** No information available.
- Bioaccumulation:** No information available.
- Mobility:** No information available.

**SECTION 13: DISPOSAL CONSIDERATIONS**

- Waste Disposal:** Recover or recycle if possible. Disposal should be in compliance with applicable federal, state, and local regulations. Do not dispose of in the environment, in sewage, and/or in drains.
- Container:** Drain contaminated container thoroughly. Do not reuse container.

**SECTION 14: TRANSPORT INFORMATION**

*Transport in accordance with all federal, state, and local regulations.*

**DOT**

- Proper Name:** Corrosive Liquid, Basic, Inorganic, n.o.s. (Potassium Hydroxide)
- Hazard Class:** 8
- UN Number:** UN3266
- Packing Group:** II
- Special Provisions:** Based on package size, product may be eligible for limited quantity exception.

**SECTION 15: REGULATORY INFORMATION****US Federal Regulations**

- TSCA Status:** All components of this product are listed or exempt from listing on TSCA inventory.
- CERCLA Reportable Quantity:** None

**U.S. State Right-to-Know Regulations**

Hazardous Chemical	California Proposition 65
Cocoamide DEA	Listed as a carcinogen

**Section 311/312 Hazard Category**

<b>Acute Health Hazard:</b>	Yes
<b>Chronic Health Hazard:</b>	Yes
<b>Fire Hazard:</b>	No
<b>Sudden Release of Pressure:</b>	No
<b>Reactive Hazard:</b>	No

<b>Section 313 Toxic Chemicals</b>
------------------------------------

No
----

**SECTION 16: OTHER INFORMATION**

**Prepared by:** Health and Safety Department

**Contact Number:** 1-877-866-9742

**Issue Date:** 10/26/2015

**Revision Date:** 10/26/2015

**Revision Note:** MSDS converted to GHS SDS format

**Version:** 1

**Disclaimer:** The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. This information is offered for your information, consideration, and investigation. Ver-tech Labs cannot anticipate all conditions under which this information and its product may be used. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. It is the user's responsibility to assume liability for loss, injury, damage or expense due to improper use.

---

End of Safety Data Sheet