

SAFETY DATA SHEET

	SECTION I: PRODUCT AND COMPANY IDENTIFICATION				
	Manufacturer: Ver-tech Labs		Product Name:	Maintain - Equipment & Doors	
6801 Bleck Drive		Product Code:	MT-200		
Rockford, MN 55373		Rockford, MN 55373	Recommended Use:	Equipment & facility degreaser	
		I -877-866-9742	Revision Date:	4/25/2024	

Chemical Emergency: Infotrac: I-800-535-5053

SECTION 2: HAZARDS IDENTIFICATION

GHS Hazard Classification		
Skin Corrosion	Category I	
Eye Damage	Category I	

Signal Word

DANGER!



Hazard Statements

Causes severe skin burns and eye damage Causes serious eye damage

Precautionary Statements - Prevention

Do not breathe mists or vapors

Wash thoroughly after handling Wear protective gloves and eye protection

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Remove all contaminated clothing immediately. Rinse skin with water.

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing

Get Medical advice/attention if you feel unwell

Precautionary Statements - Storage

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

SECTION 3: INFORMATION ON HAZARDOUS INGREDIENTS

Product is a mixture according to 29 CFR 1910.1200.

Hazardous Components

Store locked up

Hazardous Ingredients	Cas #	Weight %
Disodium metasilicate	6834-92-0	0 - 10%
2-butoxyethanol	111-76-2	0 - 10%
Proprietary Blend	Trade Secret	0 - 10%

Specific chemical identity and/or exact percentage of components has been withheld in accordance with a trade secret claim according to Appendix E 29 CFR 1910.1200.

SECTION 4: FIRST-AID MEASURES

First Aid Measures

General Advice:	Harmful if swallowed. Causes skin corrosion and serious eye damage.	
Eye Contact:	Immediately flush with cool running water for at least 15 minutes while holding eyelids apart. Do not rub affected area. Remove	
	contact lenses if applicable.	
Skin Contact:	Wash off immediately with soap and water while removing all contaminated clothes and shoes.	

Ingestion:	If swallowed, may cause burning of the mouth, throat and stomach. Call immediately for medical assistance. DO NOT induce
	vomiting. Rinse mouth with water, then drink 1-2 glasses of water. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air.

Most Important Symptoms and Effects

Symptoms: Irritation to eyes and skin. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Indication of any immediate medical attention and special treatment needed

Note to Physician: Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Flammable Properties

Flammability:	Not considered to be a fire hazard.
Explosive Prop:	Not considered to be an explosive hazard.

Extinguishing Media

Suitable:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environ	
Unsuitable:	Do not use water jet as an extinguisher, as this will spread the fire.	

Specific Hazards Arising from Chemical

Hazards: During fire, gases hazardous to health may be formed.

Protective equipment and precautions for fire-fighters

Fire-Fight Method: In the event of a fire, fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Evacuate personnel to safe areas. Isolate hazard area and deny entry. Stay upwind of spill/leak. Use personal protection		Evacuate personnel to safe areas. Isolate hazard area and deny entry. Stay upwind of spill/leak. Use personal protective
equipment. Avoid contact with skin, eyes or clothing.		equipment. Avoid contact with skin, eyes or clothing.
Environ. Precautions: Prevent release to the environment if possible. Dike large spills to prevent material from entering streams		Prevent release to the environment if possible. Dike large spills to prevent material from entering streams or sewer systems.
	Clean-Up Method:	Soak-up with inert absorbent material and place into appropriate container for disposal. Clean contaminated area thoroughly
		with water. Prevent product from entering drains.

SECTION 7: HANDLING AND STORAGE

Use personal protective equipment when needed. Avoid contact with skin, eyes, and clothing. Wash hands before eating,
drinking, or smoking. Remove contaminated clothes and wash before reuse. Use in a ventilated area.
Store in closed containers in cool, dry, well-ventilated area. Avoid overheating or freezing. Keep in properly labeled containers and out of reach of children.

Incomp. Materials: Oxidizing agents. Strong acids. Prolonged contact with alkali sensitive metals and alloys.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines				
Hazardous Chemical	OSHA PEL	ACGIH TLV		
Disodium metasilicate	3 mg/m3	No information available		
2-butoxyethanol	50 ррм 20 ррм			
Proprietary Blend	No information available	No information available		

Appropriate Engineering Controls

Eng. Controls:

Ensure adequate ventilation, especially in confined areas.

Personal Protection Equipment (PPE)

Eyes:	Recommend safety goggles or shield.	
Respiratory:	Not usually necessary where ventilation is sufficient to maintain vapors under the TLV limit.	
Skin:	Avoid skin contact. Recommend chemical resistant gloves.	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

•			
Physical State:	Liquid	Freezing Point:	Not determined
Appearance:	Green liquid	Boiling Point:	Not determined
Color:	Green	Evaporation Rate:	Not determined
Odor:	Mild	Vapor Pressure:	Not determined
Odor Threshold:	No information available	Vapor Density:	Not determined
pH:	13.0	Relative Density:	Not determined
Flash Point:	Not determined	Flammability:	Not determined
Water Solubility:	Soluble in water	Explosive Limits:	Not determined
Viscosity:	Not determined	Part. Coefficient:	Not determined
Specific Gravity:	1.07	Auto-ignition Temp:	Not determined
Melting Point:	Not determined	Decomp. Temp:	Not determined

SECTION 10: STABILITY AND REACTIVITY

Stability:	Stable under ordinary conditions of use and storage.
Haz. Decomposition:	Thermal decomposition can lead to release of irritating and toxic gases and vapors.
Haz. Polymerization:	No information available.
Incompatibilities:	Oxidizing agents. Strong acids. Prolonged contact with alkali sensitive metals and alloys.
Conditions to Avoid:	Heat, moisture and incompatibles.

SECTION II: TOXICOLOGY INFORMATION

Component Information

Hazardous Chemical	LD50 Oral	LD50 Dermal
Disodium metasilicate	600 mg/kg (rat)	No information available
2-butoxyethanol	1300 mg/kg (rat)	> 2000 mg/kg (rat)
Proprietary Blend	No information available	No information available

Potential Health Effects

Exposure Routes:	Eye Contact, Dermal Contact, Ingestion, Inhalation	
Acute Toxicity:		
Eyes:	Causes eye irritation with tearing, redness, and impaired vision.	
Skin:	Causes skin irritation, redness, and itching.	
Ingestion:	Harmful if swallowed.	
Inhalation:	Respiratory irritant.	
Chronic Effects:	Avoid repeated exposure. May aggravate pre-existing medical conditions including eye, skin and respiratory disorders.	
Carcinogenicity:	Not classifiable as a human carcinogen by OSHA, NTP or IARC.	

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity		
Hazardous Chemical	Toxicity to Fish	Toxicity to Invertebrates
Disodium metasilicate	No information available	No information available
2-butoxyethanol	1474 mg/l (96h: Oncorhynchus mykiss)	l 500 mg/l (48 h: water flea)
Proprietary Blend	No information available	No information available

Environmental Toxicity

Biodegradation:	No information available.
Persistence:	No information available.
Bioaccumulation:	No information available.
Mobility:	No information available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:Recover or recycle if possible. Disposal should be in compliance with applicable federal, state, and local regulations. Do not
dispose of in the environment, in sewage, and/or in drains.

Container:

Drain contaminated container thoroughly. Do not reuse container.

SECTION 14: TRANSPORT INFORMATION

Transport in accordance with all federal, state, and local regulations.

DOT

Proper Name:NAHazard Class:NAUN Number:NAPacking Group:NASpecial Provisions:Not regulated as a dangerous good.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

TSCA Status: All components of this product are listed or exempt from listing on TSCA inventory.

CERCLA Reportable Quantity: None

U.S. State Right-to-Know Regulations

Hazardous Chemical	California Proposition 65
None	

Section 311/312 Hazard Category

Acute Health Hazard:	111-76-2	2-butoxyethanol	0 - 10%
Chronic Health Hazard:	No		
Fire Hazard:	-76-2	2-butoxyethanol	0 - 10%
Sudden Release of Pressure:	No		
Reactive Hazard:	No		
Section 313 Toxic Chemicals	-76-2	2-butoxyethanol	0 - 10%

SECTION 16: OTHER INFORMATION

Prepared by:	Health and Safety Department
Issue Date:	4/25/2024
Revision Date:	4/25/2024
Revision Note:	New product
Version:	I
Disclaimer:	The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. This information is offered for your information, consideration, and investigation. Ver-tech Labs cannot anticipate all conditions under which this information and its product may be used. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. It is the user's responsibility to assume liability for loss, injury, damage or expense due to improper use.

End of Safety Data Sheet