

SAFETY DATA SHEET

SECTION I: PRODUCT AND COMPANY IDENTIFICATION

Manufacturer:	Ver-tech Labs	Product Name:	Foamy Tire & Motor
	6801 Bleck Drive	Product Code:	EXT195
	Rockford, MN 55373	Recommended Use:	Degreaser
	I-877-866-9742	Revision Date:	4/6/2015
Chemical Emergency	/: Infotrac: 1-800-535-5053		

SECTION 2: HAZARDS IDENTIFICATION

GHS Hazard Classification	
Skin Corrosion/Irritation	Category I
Serious Eye Damage/Eye Irritation	Category I
Specific Target Organ Toxicity (Single Exposure) - Oral	Category I
Corrosive to Metals	Category I

Signal Word **DANGER!**



Precautionary Statements - Prevention
Do not breathe dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Do not eat, drink or smoke when using this product
Keep only in original container

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Remove all contaminated clothing immediately. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing

Call a POISON CENTER or doctor/physician if you feel unwell

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Store in a corrosive resistant container with a resistant inner liner

SECTION 3: INFORMATION ON HAZARDOUS INGREDIENTS

Product is a mixture according to 29 CFR 1910.1200.

Hazardous Components

Store locked up

Hazardous Ingredients	Cas #	Weight %
Sodium Hydroxide, Caustic Soda	1310-73-2	10 - 20%
Proprietary Blend	Trade Secret	5 - 15%

Specific chemical identity and/or exact percentage of components has been withheld in accordance with a trade secret claim according to Appendix E 29 CFR 1910.1200.

SECTION 4: FIRST-AID	MLAJUKLJ			
First Aid Measures				
General Advice:		ins Sodium Hydroxide. Harmful or fatal if swallowed. Wear protective clothing when handling this product. Keep out of of children. Use with care.		
Eye Contact:	Immediately flu contact lenses	flush with cool running water for at least 15 minutes while holding eyelids apart. Do not rub affected area. Remove es if applicable.		
Skin Contact:	Wash off imme	diately with soap and water while removing all cont	aminated clothes and shoes.	
Ingestion:			. Call immediately for medical assistance. DO NOT induce Never give anything by mouth to an unconscious person.	
Inhalation:	Remove to free	sh air.		
Most Important Symp	toms and Effe	<u>cts</u>		
Symptoms:	Severe burns to	o eyes, skin, and respiratory tract.		
Indication of any imme	ediate medical	attention and special treatment needed		
Note to Physician:	Product is a co	rrosive material. Treat symptomatically.		
SECTION 5: FIRE-FIGH	TING MEASUR	ES		
Flammable Properties	<u>i</u>			
Flammability:	Not considered	d to be a fire hazard.		
Explosive Prop:	Not considered	d to be an explosive hazard.		
Extinguishing Media				
Suitable:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Unsuitable:	Adding water to caustic solution generates large amounts of heat.			
Specific Hazards Arisi	ng from Chem	ical		
Hazards:	-		hermal decomposition may lead to release of irritating and	
	toxic vapors. In the event of fire and/or explosion do not breathe fumes.			
Protective equipment	and precautio	ns for fire-fighters		
	-	-	ive equipment and self-contained breathing apparatus (SCB	
i il c i igne i lechoù.		piece operated in positive pressure mode.		
SECTION 6: ACCIDEN				
	-		ry. Stay upwind of spill/leak. Use personal protective	
rersonal rrecautions.		bid contact with skin, eyes or clothing.	y. stay upwind of spinneak. Ose personal protective	
Environ Processions		, -	provent material from entering streams or source systems	
			prevent material from entering streams or sewer systems. container for disposal. Clean contaminated area thoroughly	
Clean-Up Method:	•		ontainer for disposal. Clean contaminated area thoroughly	
	with water. Pre	event product from entering drains.		
SECTION 7: HANDLIN				
Handling:	Use personal protective equipment when needed. Avoid contact with skin, eyes, and clothing. Wash hands before eating,			
	drinking, or sm	oking. Remove contaminated clothes and wash befo	pre reuse. Use in a ventilated area.	
Storage: Store in close		containers in cool, dry, well-ventilated area. Avoid	overheating or freezing. Keep in properly labeled container	
	and out of read	h of children.		
Incomp. Materials:	Strong acids and bases. Oxidizing agents. Aluminum, Tin and Zinc.			
SECTION 8: EXPOSUR	E CONTROLS	AND PERSONAL PROTECTION		
Exposure Guidelines				
Hazardous Ch	emical	OSHA PEL	ACGIH TLV	
		2[]	2 / 2	
Sodium Hydroxide, C	austic Soda	2 mg/m3	2 mg/m3	

Hazardous Chemical	OSHA PEL	ACGIH TLV
Sodium Hydroxide, Caustic Soda	2 mg/m3	2 mg/m3
Proprietary Blend	Not Determined	Not Determined

Appropriate Engineering Controls

Eng. Controls: Ensure adequate ventilation, especially in confined areas.

Personal Protection Equipment (PPE)

Eyes:	Recommend safety goggles or shield.
Respiratory:	Not usually necessary where ventilation is sufficient to maintain vapors under the TLV limit.
Skin:	Avoid skin contact. Recommend chemical resistant gloves.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State:	Liquid	Freezing Point:	Not determined
Appearance:	Red Liquid	Boiling Point:	Not determined
Color:	Red	Evaporation Rate:	Not determined
Odor:	Odorless	Vapor Pressure:	Not determined
Odor Threshold:	No information available	Vapor Density:	Not determined
pH:	13 - 14	Relative Density:	Not determined
Flash Point:	Not determined	Flammability:	Not determined
Water Solubility:	Soluble in water	Explosive Limits:	Not determined
Viscosity:	Not determined	Part. Coefficient:	Not determined
Specific Gravity:	1.12 - 1.16	Auto-ignition Temp:	Not determined
Melting Point:	Not determined	Decomp. Temp:	Not determined

SECTION 10: STABILITY AND REACTIVITY

Stability:	Stable under ordinary conditions of use and storage.
Haz. Decomposition:	Thermal decomposition can lead to release of irritating and toxic gases and vapors.
Haz. Polymerization:	No information available.
Incompatibilities:	Strong acids and bases, strong oxidizing agents. Aluminum, Tin, and Zinc.
Conditions to Avoid:	Heat, moisture and incompatibles.

SECTION II: TOXICOLOGY INFORMATION

Component Information

Hazardous Chemical	LD50 Oral	LD50 Dermal
Sodium Hydroxide, Caustic Soda	Not Determined	1350 mg/kg (rabbit)
Proprietary Blend	Not Determined	Not Determined

Potential Health Effects

Exposure Routes: Eye Contact, Dermal Contact, Ingestion, Inhalation

Acute Toxicity:

Eyes:	Causes eye irritation with tearing, redness, and impaired vision.
Skin:	Causes skin irritation, redness, and itching. May cause chemical burns.
Ingestion:	Harmful if swallowed. Corrosive to mucous membranes, esophagus and stomach.
Inhalation:	Respiratory irritant.
Chronic Effects:	Avoid repeated exposure. May aggravate pre-existing medical conditions including eye, skin and respiratory disorders.
Carcinogenicity:	Not listed as carcinogen by OSHA, NTP or IARC.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity		
Hazardous Chemical	Toxicity to Fish	Toxicity to Invertebrates
Sodium Hydroxide, Caustic Soda	45.4: 96 h Oncorhynchus mykiss mg/L	Not Determined
Proprietary Blend	Not Determined	Not Determined

Environmental Toxicity Biodegradation: No information available. Persistence: This product is alkaline and may raise the pH of surface waters. Bioaccumulation: No information available. Mobility: No information available. SECTION 13: DISPOSAL CONSIDERATIONS

 Waste Disposal:
 Recover or recycle if possible. Disposal should be in compliance with applicable federal, state, and local regulations. Do not dispose of in the environment, in sewage, and/or in drains.

Container: Drain contaminated container thoroughly. Do not reuse container.

SECTION 14: TRANSPORT INFORMATION

Transport in accordance with all federal, state, and local regulations.

DOT	
Proper Name:	Corrosive Liquid, Basic, Inorganic, n.o.s. (Sodium Hydroxide)
Hazard Class:	8
UN Number:	UN3266
Packing Group:	II
Special Provisions:	Based on package size, product may be eligible for limited quantity exception.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

TSCA Status: All components of this product are listed or exempt from listing on TSCA inventory.

CERCLA Reportable Quantity: Sodium Hydroxide, 1000 lbs.

U.S. State Right-to-Know Regulations

Hazardous Chemical None		California Proposition 65
Acute Health Hazard:	No	
Chronic Health Hazard:	No	
Fire Hazard:	No	
Sudden Release of Pressure Hazard:	No	
Reactive Hazard:	No	
Section 313 Toxic Chemicals	None	

SECTION 16: OTHER INFORMATION

SECTION 16. OTHER INFORMATION	
Prepared by:	Health and Safety Department
Contact Number:	1-877-866-9742
Issue Date:	4/6/2015
Revision Date:	4/6/2015
Revision Note:	MSDS converted to GHS SDS format
Version:	I
Disclaimer:	The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. This information is
	offered for your information, consideration, and investigation. Ver-tech Labs cannot anticipate all conditions under which this
	information and its product may be used. Final determination of suitability of any material is the sole responsibility of the user.
	All materials may present unknown hazards and should be used with caution. It is the user's responsibility to assume liability for
	loss, injury, damage or expense due to improper use.

End of Safety Data Sheet